



FAST SERVICE
& TURN AROUND



ADVANCED
IN-HOUSE
ENGINEERING




FIBRE & COPPER
CABLE
MANUFACTURING



EXPERT TECHNICAL
SUPPORT & ADVICE

FIBRE OPTIC TOOLS





JCS Technologies offers a comprehensive range of quality products that are trusted in the industry.

At JCS Technologies we understand the demand for companies and installers to tool up and remain within budget without sacrificing quality. That is why we now offer our own JCS Tech brand of tooling and a selection of well sourced partner brands.



JCS TRI-HOLE FIBRE OPTIC STRIPPER TL-STRIP-TRI



- High Quality Tool and Easy used for fiber Jacket/buffer/coating removal
- Three-hole model performs all common fiber stripping functions in one compact tool
- First holes strips 1.6-3 mm fibre jacket down to the 600-900 micron buffer coating
- Second hole strips 600-900 micron buffer coating down to the 250 micron coating
- Third hole strips 250 micron cable down to the glass fibre without nicks or scratches
- Length: 136.5mm, Weight: 71g
- Handle is made of TPR (Thermoplastic Rubber)

JCS ROUND CABLE STRIPPER 4.5MM - 25.4MM TL-STRIP-RND



- Cable stripper for outer jackets & insulations from 4.5 to 25.4 mm O.D.
- Plastic blade holder for light to medium frequency jobs
- Ripping blade facilitates easy insulation removal
- Stripping action is both circumferential and longitudinal for removal of insulation
- Adjustable cutting depth

JCS BUFFER TUBE STRIPPER 3.2-5.6MM BLUE TL-STRIP-45-163



- Lightweight
- Adjustable blade, you can get nick-free strips to specification on a variety of cables
- Ideal for cutting different buffer tubes of the loose tube cable, and without nicking the enclosed fibre

JCS BUFFER TUBE STRIPPER 0-3.2MM GREY TL-STRIP-45-162



- Grey - TL-STRIP-45-162 up to 3.2mm OD
- Blue - TL-STRIP-45-163 3.2mm up to 5.6mm OD

NOTE: If there is a particular product not listed that you require, please don't hesitate to contact the JCS Technologies Sales and Support Team today



JCS TECH – QUALITY PRODUCTS YOU CAN TRUST!

TOOL CRIMPER RJ11/12/45 COME WITH TEST UNIT TL-HTC-0022



JCS FTTH FLAT DROP OPTICAL CABLE STRIPPER TL-STRIP-FD



MILLER IET INSERTION EXTRACTION TOOL TL-MIL-80860



- Compound double high leverage design increases cutting power by up to 50%
- Chrome-vanadium alloy steel for superior durability
- Heat treated joint rivet for smooth and consistent operation
- High frequency induction hardened cutting edges (>58HRC) for longer cutting life
- 30% larger co-molded soft touch non-slip grips with ergonomic design for extra comfort and minimize the energy require to operate
- Perfect for heavy duty application with lighter weight (approx. 195g) to reduce fatigue during prolong use

JCS 6.7" DIAGONAL COMPOUND ACTION CUTTER TL-CC-6.7D



- High-leverage design for exceptional cutting capability
- Precision, one-hand shearing action
- Cable-gripping shear-type arc jaws

JCS HIGH LEVERAGE CABLE CUTTER TL-CC-HL



- Lightweight shears ideal for cutting Kevlar® strength members found in fiber optic cable construction
- Ergonomic molded handles provide comfort for both right and left handed users
- One micro-serrated blade reduces slippage for more positive cutting action
- Blades made from high carbon molybdenum, and vanadium steel for long life

JCS KEVLAR SHEARS TL-KEVSHEAR



NOTE: If there is a particular product not listed that you require, please don't hesitate to contact the JCS Technologies Sales and Support Team today



CK KABIFIX CABLE STRIPPER

TL-FK28-430004



- Dual purpose cable stripper and plastic tube cutting tool
- Radial and axial stripping of common circular cables
- Safe and fast stripping
- For slitting and stripping cables from 6 to 28 mm \varnothing
- Infinitely variable cutting depth
- Compact design for restricted spaces
- Replaceable hardened steel blade [TL-FK28-395041]

CK KABIFIX REPLACEMENT BLADE

TL-FK28-395041



- Durable hardened-steel cutting blade
- Made in Germany
- Spare Blade for use with Kabifix TL-FK28-430004 cable stripper

NOTE: If there is a particular product not listed that you require, please contact the JCS Technologies Sales and Support Team: (02) 8878 6600